Amendments to Claims:

This listing of claims will replace all prior versions and listings of claims in the instant application:

Listing of Claims:

1. (Currently Amended) A method for provisioning a telephone service feature, the method comprising:

identifying a telephone service feature requested by a calling party to be temporarily provisioned to a called party for the duration of an already connected call between the calling party and a third party that does not include the calling party, wherein the telephone service feature was not previously provisioned to the called party by an exchange carrier;

receiving a call request to establish a telephone connection between a calling party and a called party;

if the call request identifies a telephone service, determining whether one of a plurality of telephone service features identified in the call request can be temporarily provisioned to at least one of the calling party and called party;

if the call request does not identify a telephone service feature or a determination is made that an identified telephone service feature can not be temporarily provisioned, presenting to at least one of the calling party and the called party a list of other telephone service features that can be temporarily provisioned to either the calling party or the called party;

if a telephone feature is identified and can be temporarily provisioned, temporarily allocating telephony system resources to the called party in the already connected call in response to the request by the calling party to support said identified telephone service

2

{WP379019;1}

feature for the duration of the already connected <u>a</u> call <u>over an established telephone</u> connection;

temporarily activating said identified <u>and temporarily provisioned</u> telephone service feature for the call;

deactivating said activated telephone service feature upon completion of said call; and

reallocating said telephony system resources in response to completion of said call.

2. (Currently Amended) The method according to claim 1, wherein said identifying step further comprises further comprising:

receiving a call request identifying a telephone service feature to be temporarily provisioned for the duration of the already connected an already-connected call; and

determining whether said identified telephone service feature can be provisioned within a telephony network for a call serviced by [[the]] a particular exchange carrier.

3. (Cancelled)

- 4. (Currently Amended) The method according to claim 1, wherein said allocating step comprises further comprising allocating line interface circuits capable of providing said requested telephone service feature to a subscriber.
- 5. (Original) The method according to claim 4, wherein said allocating step further comprises:

reserving a pool of resources for activating said identified telephone service feature; and

selecting from said reserved pool of resources, an available resource capable of processing said identified telephone service feature.

6. (Previously Presenteded) The method according to claim 5, wherein said selecting step further comprises the step of multiplexing said available resource onto existing telephony service in order to support said call request for said identified telephone service feature.

7. (Cancelled)

- 8. (Original) The method according to claim 1, wherein said telephone service feature is a feature selected from the group consisting of a caller ID feature, a three-way calling feature, a call waiting feature, a call hold feature and a call forwarding feature.
- 9. (Previously Presented) A machine readable computer-readable storage having stored thereon, a computer program having a plurality of code sections, said code sections executable by a machine computer for causing the machine computer to perform the steps of:

identifying a telephone service feature to be temporarily provisioned for the duration of a call that was not previously provisioned by an exchange carrier;

receiving a call request to establish a telephone connection between a calling party and a called party;

if the call request identifies a telephone service, determining whether one of a plurality of telephone service features identified in the call request can be temporarily provisioned to at least one of the calling party and called party;

if the call request does not identify a telephone service feature or a determination is made that an identified telephone service feature can not be temporarily provisioned,

presenting to at least one of the calling party and the called party a list of other telephone service features that can be temporarily provisioned to either the calling party or the called party;

if a telephone feature is identified and can be temporarily provisioned, temporarily allocating telephony system resources to support said identified telephone service feature; temporarily activating said identified telephone service feature for the call; deactivating said activated telephone service feature upon completion of said call;

reallocating said telephony system resources in response to completion of said

10. (Currently Amended) The machine readable computer-readable storage according to claim 9, wherein said identifying step further comprises further comprising:

receiving a call request identifying a telephone service feature to be temporarily provisioned for the duration of the already connected an already-connected call; and

determining whether said identified telephone service feature can be provisioned within a telephony network for a call serviced by [[the]] a particular exchange carrier.

11. (Cancelled)

and

call.

- 12. (Currently Amended) The machine readable computer-readable storage according to claim 9, wherein said allocating step comprises further comprising allocating line interface circuits capable of providing said requested telephone service feature to a subscriber.
- 13. (Currently Amended) The machine readable computer-readable storage according to claim 12, wherein said allocating step further comprises:

5

reserving a pool of resources for activating said identified telephone service feature; and

selecting from said reserved pool of resources, an available resource capable of processing said identified telephone service feature.

14. (Currently Amended) The machine readable computer-readable storage according to claim 13, wherein said selecting step further comprises the step of multiplexing said available resource onto existing telephony service in order to support said call request for said identified telephone service feature.

15. (Cancelled)

- 16. (Currently Amended) The machine readable computer-readable storage according to claim 9, wherein said telephone service feature is a feature selected from the group consisting of a caller ID feature, a three-way calling feature, a call waiting feature, a call hold feature and a call forwarding feature.
- 17. (Currently Amended) A system for temporarily provisioning a telephone service feature, the system comprising:

a controller, said controller—receiving a call request from a calling party to temporarily provision a telephone service feature to a called party that is already in a connected call to a third party that does not include the calling party, identifying the telephone service feature that was not previously provisioned by an exchange carrier to be temporarily provisioned for a called subscriber terminal for the duration of the already connected call that is serviced by said exchange carrier, said controller allocating telephony resources to support said telephone feature in response to the call request and

6

reallocating said telephony resources in response to completion of said call wherein said controller is configured to

receive a call request to establish a telephone connection between a calling party and a called party,

if the call request identifies a telephone service, determine whether one of a plurality of telephone service features identified in the call request can be temporarily provisioned to at least one of the calling party and called party, and

if the call request does not identify a telephone service feature or a determination is made that an identified telephone service feature can not be temporarily provisioned, present to at least one of the calling party and the called party a list of other telephone service features that can be temporarily provisioned to either the calling party or the called party; and

an activator, said activator for activating said configured to activate an identified telephone service feature that can be temporarily provisioned so as to satisfy said received call request and deactivating to deactivate said required telephone service feature upon completion of said call.

- 18. (Previously Presented) The system according to claim 17, wherein said telephony resources comprise a reserved pool of communication processing circuits controlled by said controller.
- 19. (Original) The system according to claim 18, wherein each of said communication processing circuits further comprises a line interface circuit for providing said telephone service feature.

- 20. (Original) The system according to claim 19, further comprising a common multiplexed bus for connecting each of said line interface circuits to a transmission conduit.
- 21. (Original) The system according to claim 20, wherein said controller further comprises a multiplexer for multiplexing communication signals from said line interface circuits onto said common multiplexed bus.
- 22. (Previously Presented) A system for temporarily provisioning a telephone service feature, the system comprising:

a communications controller for receiving a call request from a calling party to temporarily provision a telephone service feature to a called party that is already in a connected call to a third party that does not include the calling party and identifying the required telephone service feature that was not previously provisioned by an exchange carrier to be temporarily provisioned for a called subscriber terminal for the duration of the already connected call serviced by said exchange carrier

receiving a call request to establish a telephone connection between a calling party and a called party,

if the call request identifies a telephone service, determining whether one of a plurality of telephone service features identified in the call request can be temporarily provisioned to at least one of the calling party and called party, and

if the call request does not identify a telephone service feature or a determination is made that an identified telephone service feature can not be temporarily provisioned, presenting to at least one of the calling party and the called party a list of other telephone service features that can be temporarily provisioned to either the calling party or the called party;

U.S. Appln. No. 10/039,153 Amendment Dated March 14, 2007 Reply to Office Action of December 14, 2007

Docket No. BOC9-2001-0013 (248)

a pool of reserved communication processing circuits for activating and deactivating said identified telephone service feature; and

a multiplexer for multiplexing an available communication processing circuit from said pool of reserved communication processing circuits onto a transmission conduit providing service to said called subscriber terminal for the duration of the call, said available communication processing circuit being reallocated to said pool of reserved communication processing circuits upon termination of the call.

- 23. (Currently Amended) The system according to claim 22, wherein said communications controller further comprises circuits and program logic [[of]] for determining an available communication processing circuit from said pool of reserved communication processing circuits, and allocating said available communication processing circuit for processing said telephone service feature.
- 24. (Original) The system according to claim 23, further comprising a multiplexed bus for communicating telephony signals between each of said communication processing circuits and said called subscriber terminal through a transmission conduit.
- 25. (Original) The system according to claim 23, wherein said communication processing circuit is a line interface circuit providing local access service to said called subscriber terminal.

26. (Cancelled)

27. (Currently Amended) The method of claim 1, wherein the exchange carrier services calls for a recipient of the call, the method further comprising the step of:

after the activating step and before the deactivating step, [[the]] <u>a particular</u> exchange carrier <u>establishing establishes</u> a communication session for the call.

- 28. (Currently Amended) The method of claim 1, wherein the identifying, activating[[,]] and deactivating steps occur within a network element of a public switched telephone network.
- 29. (Previously Presented) The method of claim 1, wherein the identified telephone service feature is a feature associated with a line-based telephone number serviced by the exchange carrier.